

Chapter 1: Introduction to Computers and Programming

Starting Out with C++ Early Objects Seventh Edition

by Tony Gaddis, Judy Walters,
and Godfrey Muganda

Addison-Wesley
is an imprint of

PEARSON

Copyright © 2011 Pearson Education, Inc. Publishing as Pearson Addison-Wesley

Topics

- 1.1 Why Program?
- 1.2 Computer Systems: Hardware and Software
- 1.3 Programs and Programming Languages
- 1.4 What Is a Program Made of?
- 1.5 Input, Processing, and Output
- 1.6 The Programming Process



1.1 Why Program?

Computer – programmable machine designed to follow instructions

Program – instructions in computer memory to make it do something

Programmer – person who writes instructions (programs) to make computer perform a task

SO, without programmers, no programs; without programs, the computer cannot do anything




1.2 Computer Systems: Hardware and Software

Main Hardware Component Categories

1. Central Processing Unit (CPU)
2. Main memory (RAM)
3. Secondary storage devices
4. Input Devices
5. Output Devices




Main Hardware Component Categories



Central Processing Unit (CPU)

Includes

- **Control Unit**
 - Retrieves and decodes program instructions
 - Coordinates computer operations
- **Arithmetic & Logic Unit (ALU)**
 - Performs mathematical operations



The CPU's Role in Running a Program

Cycle through:

- **Fetch:** get the next program instruction from main memory
- **Decode:** interpret the instruction and generate a signal
- **Execute:** route the signal to the appropriate component to perform an operation




Main Memory

- Holds both program instructions and data
- Volatile – erased when program terminates or computer is turned off
- Also called Random Access Memory (RAM)




Main Memory Organization

- **Bit**
 - Smallest piece of memory
 - Stands for **b**inary digit
 - Has values 0 (off) or 1 (on)
- **Byte**
 - Is 8 consecutive bits
- **Word**
 - Usually 4 consecutive bytes
 - Has an address



Secondary Storage



- Non-volatile - data retained when program is not running or computer is turned off
- Comes in a variety of media
 - magnetic: floppy or hard disk drive, internal or external
 - optical: CD or DVD drive
 - flash: USB flash drive




Input Devices



- Used to send information to the computer from outside
- Many devices can provide input
 - keyboard, mouse, microphone, scanner, digital camera, disk drive, CD/DVD drive, USB flash drive



Output Devices



- Used to send information from the computer to the outside
- Many devices can be used for output
 - Computer screen, printer, speakers, disk drive, CD/DVD recorder, USB flash drive



Software Programs That Run on a Computer

- **Operating system software**
 - programs that manage the computer hardware and the programs that run on the computer
 - how many programs can run at once?
 - Single tasking - one program at a time (MS-DOS)
 - Multitasking – multiple programs at a time (UNIX, Windows XP/Vista/7)
 - how many people can use computer at the same time?
 - Single user – MS-DOS, early versions of Windows
 - Multiuser - UNIX
- **Application software**
 - programs that provide services to the user.
Ex: word processing, games, programs to solve specific problems



1.3 Programs and Programming Languages

- **Program**
a set of instructions directing a computer to perform a task
- **Programming Language**
a language used to write programs



Programs and Programming Languages

Types of languages

- Low-level: used for communication with computer hardware directly.
- High-level: closer to human language



From a High-level Program to an Executable File

- a) Create file containing the program with a text editor.
- b) Run **preprocessor** to convert source file directives to source code program statements.
- c) Run **compiler** to convert source program statements into machine instructions.



From a High-level Program to an Executable File


d) Run **linker** to connect hardware-specific library code to machine instructions, producing an executable file.

Steps b) through d) are often performed by a single command or button click.

Errors occurring at any step will prevent execution of the following steps.



From a High-level Program to an Executable File



1.4 What Is a Program Made Of?

Common elements in programming languages:

- Key Words
- Programmer-Defined Identifiers
- Operators
- Punctuation
- Syntax



Example Program

```
#include <iostream>
using namespace std;

int main()
{
    double num1 = 5,
           num2, sum;
    num2 = 12;

    sum = num1 + num2;
    cout << "The sum is " << sum;
    return 0;
}
```



Key Words

- Also known as **reserved words**
- Have a special meaning in C++
- Can not be used for another purpose
- Written using lowercase letters
- Examples in program (shown in green):

```
using namespace std;  
int main()
```



Programmer-Defined Identifiers

- Names made up by the programmer
- Not part of the C++ language
- Used to represent various things, such as variables (memory locations)
- Example in program (shown in green):

```
double num1
```



Operators

- Used to perform operations on data
- Many types of operators
 - Arithmetic: $+$, $-$, $*$, $/$
 - Assignment: $=$
- Examples in program (shown in green):
`num2 = 12;`
`sum = num1 + num2;`



Punctuation

- Characters that mark the end of a statement, or that separate items in a list
- Example in program (shown in green):

```
double num1 = 5,  
      num2, sum;  
num2 = 12;
```



Lines vs. Statements

In a source file,

A **line** is all of the characters entered before a carriage return.

Blank lines improve the readability of a program.

Here are four sample lines. Line 3 is blank:

```
double num1 = 5, num2, sum;  
num2 = 12;  
  
sum = num1 + num2;
```



Lines vs. Statements

In a source file,

A **statement** is an instruction to the computer to perform an action.

A statement may contain keywords, operators, programmer-defined identifiers, and punctuation.

A statement may fit on one line, or it may occupy multiple lines.

Here is a single statement that uses two lines:

```
double num1 = 5,  
       num2, sum;
```



Variables

- A variable is a named location in computer memory (in RAM)
- It holds a piece of data
- It must be *defined* before it can be used
- Example variable definition:
 - `double num1;`



1.5 Input, Processing, and Output

Three steps that many programs perform

- 1) Gather input data
 - from keyboard
 - from files on disk drives
- 2) Process the input data
- 3) Display the results as output
 - send it to the screen or a printer
 - write it to a file



1.6 The Programming Process

1. Define what the program is to do.
2. Visualize the program running on the computer.
3. Use design tools to create a model of the program.
Hierarchy charts, flowcharts, pseudocode, etc.
4. Check the model for logical errors.
5. Write the program source code.
6. Compile the source code.



The Programming Process (cont.)

7. Correct any errors found during compilation.
8. Link the program to create an executable file.
9. Run the program using test data for input.
10. Correct any errors found while running the program.

Repeat steps 4 - 10 as many times as necessary.

11. Validate the results of the program.
Does the program do what was defined in step 1?



Chapter 1: Introduction to Computers and Programming

Starting Out with C++ Early Objects Seventh Edition

by Tony Gaddis, Judy Walters,
and Godfrey Muganda

Addison-Wesley
is an imprint of

PEARSON

Copyright © 2011 Pearson Education, Inc. Publishing as Pearson Addison-Wesley